

	Attachment A- Pricing	Weekly Rental	Monthly Rental	Load for Transport	Mileage	Operator	Operator
	TNH107-2014- Rental of Equipment.	without operator	without operator		Charge	labor per hour (straight time)	labor per hour (overtime)
<b>1</b>	<b>Bulldozer</b>						
1.1	w/ Angle Blade, 60 to 70 HP						
1.2	w/ Angle Blade & Tilt Blade, 85 to 105 HP						
1.3	195 to 260 HP						
	<b>Crawler Loader</b>						
<b>2</b>	75 to 105 HP						
<b>3</b>	<b>Dump Truck</b>						
3.1	Operating Weight 20,000 to 40,000 lbs						
3.2	w/ min. 8ft. Power angle plow						
3.3	w/ min. 8ft. Power angle plow and sander						
3.4	w/ min. 8ft. Power angle plow and sander and min. 100 gal. Brine applicator						
3.5	w/ min. 500 gal. to 1000 gallon brine applicator						
3.6	w/ 1001 gal. to 1500 gallon brine applicator						
3.7	w/ 1501 gal. to 2000 gallon brine applicator						
3.8	Operating Weight 41, 000 to 60,000 lbs						
3.9	w/ min. 8ft. Power angle plow						
3.10	w/ min. 8ft. Power angle plow and sander						
3.11	w/ min. 8ft. Power angle plow and sander and min. 100 gal. Brine applicator						
3.12	w/ min. 500 gal. to 1000 gallon brine applicator						
3.13	w/ 1001 gal. to 1500 gallon brine applicator						
3.14	w/ 1501 gal. to 2000 gallon brine applicator						
3.15	Operating Weight 61,000 to 80,000 lbs						
3.16	w/ min. 8ft. Power angle plow						
3.17	w/ min. 8ft. Power angle plow and sander						
3.18	w/ min. power angle plow and sander and min. 100 gal. Brine applicator						
3.19	w/ min. 500 gal. to 1000 gallon brine applicator						
3.20	w/ 1001 gal. to 1500 gallon brine applicator						
3.21	w/ 1501 gal. to 2000 gallon brine applicator						
3.22	Operating Weight over 81,000 lbs						
3.23	w/ min. 8ft. Power angle plow						

	Attachment A- Pricing	Weekly Rental	Monthly Rental	Load for Transport	Mileage	Operator	Operator
	TNH107-2014- Rental of Equipment.	without operator	without operator		Charge	labor per hour	labor per hour
3.24	w/ min. 8ft. Power angle plow and sander						
3.25	w/ min. 8ft. Power angle plow and sander and min. 100 gal. Brine applicator						
3.26	w/ min. 500 gal. to 1000 gallon brine applicator						
3.27	w/ 1001 gal. to 1500 gallon brine applicator						
3.28	w/ 1501 gal. to 2000 gallon brine applicator						
<b>4</b>	<b>Excavator</b>						
4.1	All-Terrain, 6 ton Hydraulic						
4.2	Boom Tip Swivel						
4.3	Bucket "Thumb"						
	<b>Excavator Crawler 75 HP</b>						
4.4	Boom Tip Swivel						
4.5	Bucket "Thumb"						
	<b>Excavator Crawler 145 HP</b>						
4.6	operating weight 15,432 to 17,635 lbs						
4.7	Boom Tip Swivel						
4.8	Bucket "Thumb"						
4.9	Stump Shear						
4.10	operating weight 17,636 to 24,250 lbs						
4.11	Boom Tip Swivel						
4.12	Bucket "Thumb"						
4.13	Stump Shear						
4.14	operating weight 24, 455 to 28,659						
4.15	Boom Tip Swivel						
4.16	Bucket "Thumb"						
4.17	Stump Shear						
4.18	operating weight 30,864 to 35,272 lbs						
4.19	Boom Tip Swivel						
4.20	Bucket "Thumb"						
4.21	Stump Shear						
4.22	operating weight 41,887 to 46,296 lbs						
4.23	Boom Tip Swivel						
4.24	Bucket "Thumb"						
4.25	Stump Shear						

	Attachment A- Pricing	Weekly Rental	Monthly Rental	Load for Transport	Mileage	Operator	Operator
	TNH107-2014- Rental of Equipment.	without operator	without operator		Charge	labor per hour	labor per hour
4.26	operating weight 52,910 to 55,114 lbs						
4.27	Boom Tip Swivel						
4.28	Bucket "Thumb"						
4.29	Stump Shear						
4.30	operating weight 52,910 to 55,114 lbs						
4.31	Boom Tip Swivel						
4.32	Bucket "Thumb"						
4.33	Stump Shear						
4.34	operating weight 55,115 to 61,728 lbs						
4.35	Boom Tip Swivel						
4.36	Bucket "Thumb"						
4.37	Stump Shear						
<b>5</b>	<b>Motor Grader</b>						
5.1	115 to 145 HP						
<b>6</b>	<b>Backhoe/loader, Rubber-tired</b>						
6.1	Digging depth 17ft and up						
6.2	w/Hydraulic Impact Pavement Breaker						
<b>7</b>	<b>Front End Loader</b>						
7.1	150 to 175 HP						
7.2	w/ 4-in-1 bucket						
7.3	w/ side dump						
7.4	w/ large blade (12')						
<b>8</b>	<b>Skid Steer Loader</b>						
8.1	load rating 1,251 to 1,351 lbs						
8.2	with milling heads						
8.3	load rating 1,601 to 1,751 lbs						
8.4	with milling heads						
8.5	load rating 2,350 to 2,500						
8.6	with milling heads						
8.7	w/ large blade (8')						
<b>9</b>	<b>Asphalt Maintainer, Wheel Mounted</b>						
<b>10</b>	<b>Asphalt Paver</b>						
10.1	wheel-mounted w/ 10ft. Power extendible screed						

	Attachment A- Pricing	Weekly Rental	Monthly Rental	Load for Transport	Mileage	Operator	Operator
	TNH107-2014- Rental of Equipment.	without operator	without operator		Charge	labor per hour	labor per hour
	operating weight 29,000 to 35,500 lbs						
10.2	w/ joint matcher only						
10.3	w/ grade & slope control only						
10.4	w/ joint matcher and grade & slope control						
<b>11</b>	<b>Cold Planer and Milling Machine</b>						
<b>11.1</b>	w/ conveyor less than or equal to 25in cutting width						
11.2	26 to 40in cutting width						
<b>12</b>	<b>Crack Sealant Melter/Applicator</b>						
<b>13</b>	<b>Pavement Cutter/Router</b>						
<b>14</b>	<b>Pavement Patching Material Mixer/Applicator</b>						
<b>15</b>	<b>Pavement Patcher, Injection type, Wheel-mounted (trailer)</b>						
<b>16</b>	<b>Road Widener, Self-propelled</b>						
16.1	2 Ft. Hydraulic Strike-off						
16.2	2 to 6 Ft. Manual Strike-off						
<b>17</b>	<b>Brush Chipper, Trailer-mounted</b>						
17.1	12in						
17.2	20in						
<b>18</b>	<b>Brush Mower, Diesel Tractor</b>						
<b>19</b>	<b>Log Loader, Truck Mounted, 1,000 lb. Capacity</b>						
<b>20</b>	<b>Mower, All-Terrain, All Wheel-drive Diesel-powered with ROPS</b>						
<b>21</b>	<b>Screening Plant, Portable 49 HP</b>						
<b>22</b>	<b>Stump Cutter, Trailer-mounted</b>						
<b>23</b>	<b>Sweepers</b>						
23.1	Mechanical, Truck-mounted Dual Broom (high dump)						
23.2	Vacuum, Truck-mounted Dual Broom						
<b>24</b>	<b>Tractors</b>						
24.1	mower, midsize w/60' mower decks						
24.2	compact utility, 4wd, 70hp						
24.3	mower, "over the rail"						
24.4	mower, "over the rail" w/ limb cutter						
<b>25</b>	<b>Tub Grinder</b>						
25.1	Portable 800 HP w/ self-loading boom						
25.2	Portable 800 HP w/ horizontal grinder						

	Attachment A- Pricing	Weekly Rental	Monthly Rental	Load for Transport	Mileage	Operator	Operator
	TNH107-2014- Rental of Equipment.	without operator	without operator		Charge	labor per hour	labor per hour
<b>26</b>	<b>Fuel Truck</b>						
26.1	3,000 to 3,300 gal.						
<b>27</b>	<b>Snow Melter</b>						
27.1	100-tons-per-hour w/ 150 operational hrs.						
27.2	250-tons-per-hour w/ 150 operational hrs. (self propelled)						
<b>28</b>	<b>Catch Basin Cleaner</b>						
28.1	60GPM						
28.2	80GPM						
<b>29</b>	<b>Flood Lighting, Portable</b>						
<b>30</b>	<b>Sewer Cleaner, Hydraulic, Trailer-mounted</b>						
<b>31</b>	<b>Sewer Jet, Trailer-mounted</b>						
<b>32</b>	<b>Sewer Jet/Vac, Combination</b>						
<b>33</b>	<b>Truck-mounted Underbridge Inspection Unit</b>						
33.1	Jenik						
33.2	Hydra						
<b>34</b>	<b>Variable Message Sign</b>						
34.1	2 to 6 Ft. Hydraulic Strike-off						
34.2	4 Ft. Extension						
34.3	Drag Box						
34.4	Operator's Platform						
<b>35</b>	<b>Spray Patching System, Self Contained, Automated One-person Operation</b>						
<b>36</b>	<b>Vibratory Roller</b>						
36.1	operating weight 6,613 to 11,022 lbs						
36.2	operating weight 17,636 to 22,045 lbs						
36.3	operating weight 24,912 lbs and Up						
<b>37</b>	<b>Aerial Lift</b>						
37.1	articulated, truck-mounted, 50 Ft.						
37.2	telescopic, self propelled, minimum 50 to 65 Ft. Height capacity						
37.3	telescopic, truck-mounted, minimum 30 Ft. Height capacity						
37.4	telescopic, truck-mounted, minimum 70 Ft. Height capacity						
37.5	telescopic, truck-mounted, minimum 90 Ft. Height capacity						
<b>38</b>	<b>Crane, Truck, Carrier Mounted,</b>						
38.1	88 to 11,023 lb lift rating						

	Attachment A- Pricing	Weekly Rental	Monthly Rental	Load for Transport	Mileage	Operator	Operator
	TNH107-2014- Rental of Equipment.	without operator	without operator		Charge	labor per hour	labor per hour
<b>39</b>	<b>Forklifts</b>						
39.1	indoor/outdoor 4,800 lbs 12 Ft. Height capacity						
39.2	rough terrain, up to 5,000 lbs lift rating						
39.3	rough terrain, 5,000 to 6,000 lbs lift rating						
<b>40</b>	<b>Material Conveyor, Portable</b>						
<b>41</b>	<b>Scissor Lift 40 to 45 Ft. Height Rating</b>						
<b>42</b>	<b>Telehandler 10,000 lbs Rating</b>						
<b>43</b>	<b>Generators</b>						
43.1	20kw capacity						
43.2	30kw capacity						
43.3	40kw capacity						
43.4	50kw capacity						
43.5	60kw capacity						
43.6	90kw capacity						
43.7	120kw capacity						
<b>44</b>	<b>Reciprocating Air Compressor, Trailer-mounted, 175 CFM capacity</b>						
<b>45</b>	<b>Rotary Screw Air Compressor, Trailer-mounted, 375 CFM capacity</b>						
<b>46</b>	<b>Broom, Tractor, Front or rear-mounted</b>						
46.1	Bucket "Thumb"						
<b>47</b>	<b>Excavator, Hydraulic, Truck Mounted 1.0 cu yd</b>						
47.1	Boom Tip Swivel						
47.2	Bucket "Thumb"						
47.3	Stump Shear						
<b>48</b>	<b>Excavator, Wheeled or Truck mounted, 1.0 cu yd</b>						
48.1	Boom Tip Swivel						
48.2	Bucket "Thumb"						
48.3	Stump Shear						
<b>49</b>	<b>Excavator, Wheeled or Truck mounted</b>						
49.1	operating weight 15,432 to 24,250 lbs						
49.2	Boom Tip Swivel						
49.3	Bucket "Thumb"						
49.4	Stump Shear						
49.5	operating weight 28,660 to 33,068 lbs						

	Attachment A- Pricing	Weekly Rental	Monthly Rental	Load for Transport	Mileage	Operator	Operator
	TNH107-2014- Rental of Equipment.	without operator	without operator		Charge	labor per hour	labor per hour
49.6	Boom Tip Swivel						
49.7	Bucket "Thumb"						
49.8	Stump Shear						
49.9	operating weight 33,069 to 37,477 lbs						
49.10	Boom Tip Swivel						
49.11	Bucket "Thumb"						
49.12	Stump Shear						
49.13	operating weight 37,478 to 39,682						
49.14	Boom Tip Swivel						
49.15	Bucket "Thumb"						
49.16	Stump Shear						
<b>50</b>	<b>Mini-Excavator</b>						
50.1	operating weight 2,204 to 3,305 lbs						
50.2	Rubber tracks						
50.3	Boom Tip Swivel						
50.4	operating weight 5,511 to 6,612 lbs						
50.5	Rubber tracks						
50.6	Boom Tip Swivel						
50.7	Bucket "Thumb"						
50.8	operating weight 7,716 to 8,817						
50.9	Rubber tracks						
50.10	Boom Tip Swivel						
50.11	Bucket "Thumb"						
	<b>Notes:</b>						
	(1) - Bid will be awarded by item, by category or to the vendor with the lowest overall cost, or a combination thereof.						
	(2)- Labor under this bid is subject to prevailing wage (as per NY State labor law, article 8 ) and therefore the winning vendor/s will be required to submit copies of the certified payrolls with the invoices. For more info, see PRC # 2014007501						
	(3)- For items that also appear on the tree bid (TNH015-2013), such						

	Attachment A- Pricing	Weekly Rental	Monthly Rental	Load for Transport	Mileage	Operator	Operator
	TNH107-2014- Rental of Equipment.	without operator	without operator		Charge	labor per hour	labor per hour
	6- backhoe, 17- brush chipper, 23- sweepers, 25-grinder, 26- fuel truck,						
	47- excavator						
	the tree bid should be used first if possible.						