Rental of Equipment  Rental of Equipment  Weekly Rental  Special Weekly Rental  W		1	Dejana Industries	IIC					1			
Restated of Equipment   Vestious, NY 11500   File At Actionated   File Attachment   F		TNH107 - 2020										
tohibit A  Daily Rental  Weekly Rental  Wilhout operator  Wilhout operator  Wilhout operator  Wilhout operator  Operator  Charge  Labor per hour  Labor per hour  Labor per hour  (straight time)  Operator  Operator  Operator  Charge  Labor per hour  Labor per hour  (straight time)  Operator  Operator  Operator  Charge  Labor per hour  (straight time)  Operator  Operator  Operator  Operator  Charge  Labor per hour  (straight time)  Operator  Operator  Operator  Charge  Labor per hour  (straight time)  Operator  Operator  Charge  Labor per hour  (straight time)  Operator  Operator  Charge  Labor per hour  (straight time)  Operator  Charge  Labor per hour  Labor per h												
Childrich A		Rental of Equipment										
Childrin A												
Exhibit A												
Carbit A			(310)344-3100									
Carbit A				1	1	116		1				
Second Content		E 1 1 1 A	0 11 0 11									
Surject time		EXNIDIT A	Daily Rental	weekly Rental	Monthly Rental	Transport	Mileage	Operator	Operator			
Surject time								l				
1.1	-			without operator	without operator		Charge					
1.1   W Angle Blade, G0 to 70 HP		- ""						(straight time)	(overtime)			
1.2   W Angle Blade & Till Blade, 85 to 105 HP												
1.3   195 to 260 HP												
2												
3   10   10   10   10   10   10   10												
3.   Departing Weight 20,000 to 40,000 lbs	2											
3.3   John Sit Power angle plow and sander												
3.3   W min. 8ft. Power angle plow and sander and min. 100 gal. Brine applicator												
3.3   w/ min. 8ft. Power angle plow and sander and min. 100 gal. Brine applicator												
3.4   W   1001 gal. to 1030 gall no brine applicator					6,309							
3.5   W   1501 gal. to 2000 gallon brine applicator												
3.6   Operating Weight 14, 000 to 60,000 lbs												
3.7 w/min. 8ft. Power angle plow and sander												
3.8   W /min. 500 gal. to 1000 gallon brine applicator												
3.9												
4.1   All-Frerain, 6 ton Hydraulic												
Al. Terrain, 6 ton Hydraulic												
4.3   Bucket "Thumb"   Excavator Crawler 75 HP												
Bucket "Thumb"   Excavator Crawler 75 HP												
Excavator Crawler 75 HP												
A-1   Bucket "Thumb"   Excavator Crawler 145 HP	4.3											
Sucket "Thumb"   Sump Shear												
Excavator Crawler 145 HP												
4.6   operating weight 15,432 to 17,635 lbs	4.5											
4.7       Boom Tip Swivel       8.8       8.8       8.8       9.8       9.8       9.8       9.8       9.8       9.8       9.9												
4.8       Bucket "Thumb"         4.9       Stump Shear         4.10       operating weight 17,636 to 24,250 lbs         4.11       Boom Tip Swivel         4.12       Bucket "Thumb"         4.13       Stump Shear         4.14       operating weight 24, 455 to 28,659         4.15       Boom Tip Swivel         4.16       Bucket "Thumb"         4.17       Stump Shear         4.18       operating weight 30,864 to 35,272 lbs         4.19       Boom Tip Swivel         4.20       Bucket "Thumb"         4.21       Stump Shear         4.22       operating weight 41,887 to 46,296 lbs         4.23       Bucket "Thumb"         4.24       Bucket "Thumb"         4.25       Stump Shear         4.26       operating weight 52,910 to 55,114 lbs         4.27       Boom Tip Swivel         4.28       Bucket "Thumb"												
4.9       Stump Shear         4.10       operating weight 17,636 to 24,250 lbs         4.11       Boom Tip Swivel         4.12       Bucket "Thumb"         4.13       Stump Shear         4.14       operating weight 24, 455 to 28,659         4.15       Boom Tip Swivel         4.16       Bucket "Thumb"         4.17       Stump Shear         4.18       operating weight 30,864 to 35,272 lbs         4.19       Boom Tip Swivel         4.20       Bucket "Thumb"         4.21       Stump Shear         4.22       operating weight 41,887 to 46,296 lbs         4.23       Soom Tip Swivel         4.24       Bucket "Thumb"         4.25       Stump Shear         4.26       operating weight 41,887 to 46,296 lbs         4.27       Stump Shear         4.28       Boom Tip Swivel         4.29       Boom Tip Swivel         4.20       Stump Shear         4.21       Stump Shear         4.22       Stump Shear         4.23       Stump Shear												
4.10 operating weight 17,636 to 24,250 lbs 4.11 Boom Tip Swivel 4.12 Bucket "Thumb" 4.13 Stump Shear 4.14 operating weight 24, 455 to 28,659 4.15 Boom Tip Swivel 4.16 Bucket "Thumb" 4.17 Stump Shear 4.18 operating weight 30,864 to 35,272 lbs 4.19 Boom Tip Swivel 4.19 Boom Tip Swivel 4.10 Bucket "Thumb" 4.11 Stump Shear 4.12 Stump Shear 4.13 Stump Shear 4.14 operating weight 30,864 to 35,272 lbs 4.15 Bucket "Thumb" 4.16 Bucket "Thumb" 4.17 Stump Shear 4.18 Bucket "Thumb" 4.19 Boom Tip Swivel 4.10 Bucket "Thumb" 4.21 Stump Shear 4.22 operating weight 41,887 to 46,296 lbs 4.23 Bucket "Thumb" 4.24 Bucket "Thumb" 4.25 Stump Shear 4.26 operating weight 52,910 to 55,114 lbs 4.27 Boom Tip Swivel 4.28 Bucket "Thumb"												
4.11   Boom Tip Swivel												
4.12       Bucket "Thumb"         4.13       Stump Shear         4.14       operating weight 24, 455 to 28,659         4.15       Boom Tip Swivel         4.16       Bucket "Thumb"         4.17       Stump Shear         4.18       operating weight 30,864 to 35,272 lbs         4.19       Boom Tip Swivel         4.20       Bucket "Thumb"         4.21       Stump Shear         4.22       operating weight 41,887 to 46,296 lbs         4.23       Boom Tip Swivel         4.24       Bucket "Thumb"         4.25       Stump Shear         4.26       operating weight 52,910 to 55,114 lbs         4.27       Boom Tip Swivel         4.28       Bucket "Thumb"												
4.13       Stump Shear         4.14       operating weight 24, 455 to 28,659         4.15       Boom Tip Swivel         4.16       Bucket "Thumb"         4.17       Stump Shear         4.18       operating weight 30,864 to 35,272 lbs         4.19       Boom Tip Swivel         4.20       Bucket "Thumb"         4.21       Stump Shear         4.22       operating weight 41,887 to 46,296 lbs         4.23       Boom Tip Swivel         4.24       Bucket "Thumb"         4.25       Stump Shear         4.26       operating weight 52,910 to 55,114 lbs         4.27       Boom Tip Swivel         4.28       Bucket "Thumb"												
4.14 operating weight 24, 455 to 28,659												
4.15       Boom Tip Swivel         4.16       Bucket "Thumb"         4.17       Stump Shear         4.18       operating weight 30,864 to 35,272 lbs         4.19       Boom Tip Swivel         4.20       Bucket "Thumb"         4.21       Stump Shear         4.22       operating weight 41,887 to 46,296 lbs         4.23       Boom Tip Swivel         4.24       Bucket "Thumb"         4.25       Stump Shear         4.26       operating weight 52,910 to 55,114 lbs         4.27       Boom Tip Swivel         4.28       Bucket "Thumb"												
4.16       Bucket "Thumb"         4.17       Stump Shear         4.18       operating weight 30,864 to 35,272 lbs         4.19       Boom Tip Swivel         4.20       Bucket "Thumb"         4.21       Stump Shear         4.22       operating weight 41,887 to 46,296 lbs         4.23       Boom Tip Swivel         4.24       Bucket "Thumb"         4.25       Stump Shear         4.26       operating weight 52,910 to 55,114 lbs         4.27       Boom Tip Swivel         4.28       Bucket "Thumb"				<b> </b>								
4.17 Stump Shear												
4.18 operating weight 30,864 to 35,272 lbs												
4.19 Boom Tip Swivel				ļ			ļ					
4.20 Bucket "Thumb"				ļ			ļ					
4.21 Stump Shear				ļ								
4.22 operating weight 41,887 to 46,296 lbs												
4.23 Boom Tip Swivel          4.24 Bucket "Thumb"          4.25 Stump Shear          4.26 operating weight 52,910 to 55,114 lbs          4.27 Boom Tip Swivel          4.28 Bucket "Thumb"												
4.24       Bucket "Thumb"          4.25       Stump Shear          4.26       operating weight 52,910 to 55,114 lbs          4.27       Boom Tip Swivel          4.28       Bucket "Thumb"												
4.25       Stump Shear         4.26       operating weight 52,910 to 55,114 lbs         4.27       Boom Tip Swivel         4.28       Bucket "Thumb"				ļ								
4.26 operating weight 52,910 to 55,114 lbs				ļ								
4.27 Boom Tip Swivel				ļ								
4.28 Bucket "Thumb"				ļ								
4.29 Stump Shear				ļ								
	4.29	Stump Shear										

Sunbelt Rentals, Inc
2341 Deerfield Drive
Fort Mill, SC 29715
Becky Casella
Contractteam@sunbeltrentals.com
(800)508-4762

	Load for											
Daily Rental	Weekly Rental	Monthly Rental	Transport	Mileage	Operator	Operator						
	without operator	without operator		Charge	labor per hour	labor per hour						
					(straight time)	(overtime)						
925	1,700	3,600	400									
1,345	2,490	5,290	450									
				1								
				1								
550	1,250	2,950	350									
incl												
	1 000	4.750	400									
850	1,990	4,750	400									
inal												
incl												
1,450	2,900	6,600	990	+								
1,430	2,300	0,000	330									
incl												
				ł — — — — — — — — — — — — — — — — — — —	<b> </b>							

		T	T	1	Load for		T	T
	Exhibit A	Daily Boatal	Weekly Bental	Monthly Dontol		Mileege	Operator	Operator
-	EXIIIDIL A	Daily Rental	Weekly Rental	Monthly Rental	Transport	Mileage	Operator	Operator
						Chavas	lahau man hawa	labor per hour
4.30	operating weight 52,910 to 55,114 lbs		without operator	without operator		Charge	labor per hour	labor per nour
	Boom Tip Swivel							
	Bucket "Thumb"							
	Stump Shear							
	operating weight 55,115 to 61,728 lbs							
	Boom Tip Swivel							
	Bucket "Thumb"							
	Stump Shear							
5	Motor Grader							
	115 to 145 HP							
6	Backhoe/loader, Rubber-tired							
	Digging depth 17ft and up							
	w/Hydraulic Impact Pavement Breaker							
7	Front End Loader							
	150 to 175 HP					Į.		1
7.2	w/ 4-in-1 bucket							
	w/ side dump							
7.4	w/ large blade (12')							
7.5	w/Grappler Bucket							
8	Skid Steer Loader							
8.1	load rating 1,251 to 1,351 lbs							
	with milling heads							
	load rating 1,601 to 1,751 lbs							
	with milling heads							
	load rating 2,350 to 2,500							
	with milling heads							
	w/ large blade (8')							
9	Asphalt Maintainer, Wheel Mounted							
10	Asphalt Paver							
10.1	wheel-mounted w/ 10ft. Power extendible screedoperating weight 29,000 to 35,500 lbs							
	w/ joint matcher only							
	w/ grade & slope control only							
	w/ grade & slope control only w/ joint matcher and grade & slope control							
11	Cold Planer and Miling Machine							
	w/ conveyor less than or equal to 25in cutting width							
12	26 to 40in cutting width  Crack Sealant Melter/Applicator -150 Gallon Capacity							
13	, 11							
	Brush Chipper, Trailer-mounted							
13.1	19 inch curtting wheel w/approximately 175 HF	1	1				1	<del>                                     </del>
	21 cutting wheel w/approximately 275 HP							
14	Brush Mower, Diesel Tractor - Lange							
15	Log Loader, Truck Mounted, 80,000 lb. Capacity							
16	Mower, All-Terrain, All Wheel-drive Diesel-powered with ROPS							
17	Screening Plant, Portable 49 HP							
18	Stump Grinder							
18.1	25-30 HP on Tracks; Cutting Wheel Approx. 15-20 inches						ļ	ļ
18.2	70-80 HP Tow Behind; Cutting Wheel Approx 25-30 inches							
19	Sweepers							
19.1	Mechanical, Truck-mounted Dual Broom (high dump)			6,847				
19.2	Vacuum, Truck-mounted Dual Broom							
20	Tractors							
20.1	mower, midsize w/60" mower decks							
20.2	compact utility, 4wd, 70hp							
20.3	mower, "over the rail"							
20.4	mower, "over the rail" w/ limb cutter							
21	Tub Grinder							

			Load for			
Daily Rental	Weekly Rental	Monthly Rental	Transport	Mileage	Operator	Operator
	without operator	without operator		Charge	labor per hour	labor per hour
450	985	2,400	350			
300	875	1,720	incl			
850	1,995	4,950	990			
	2,555	.,550	550			
300	625	1,550	250			
300	023	1,550	230			
330	690	1,650	250			
330	690	1,030	250			
F7F	1.025	2.475	200	-		
575	1,025	2,175	300			
300	600	1,200	incl			
95	175	350	incl			
2,750	6,750	11,000	500			
1,150	4,150	9,000	500			_
	İ					

					Load for			
	Exhibit A	Daily Rental	Weekly Rental	Monthly Rental	Transport	Mileage	Operator	Operator
	LAHIDILA	Daily Nertai	Weekly Relitar	Wionthly Kentar	папэроге	wineage	Орегатог	Operator
			without operator	without operator		Charge	labor per hour	labor per hour
21.1	Portable 800 HP w/ self-loading boom							
21.2	Portable 800 HP w/ horizontal grinder							
22	Fuel Truck							
	3,000 to 3,300 gal.							
23	Snow Melter							
23.1	100-tons-per-hour w/ 150 operational hrs.							
	250-tons-per-hour w/ 150 operational hrs. (self propelled)							
24	Catch Basin Cleaner							
	Vactor 2100i PD or equal, 15 yards, rapid deployment boom, positive displacement			8,772				
25	Flood Lighting, Portable							
26	Portable Light towers 4000 kw - 6000 kw							
27	Variable Message Sign							
	3 Line 8 character Solar Message Board. Approx. 10ftx6ft							
	4 Ft. Extension							
	Drag Box							
	Operator's Platform							
28 29	Spray Patching System, Self Contained, Automated One-person Operation  Vibratory Roller							
	operating weight 6,613 to 11,022 lbs							
	operating weight 17,636 to 22,045 lbs							
29.3	operating weight 24,912 lbs and Up							
30	Aerial Lift							
	articulated, truck-mounted, 50 Ft.							
	telescopic, self propelled, minimum 50 to 65 Ft. Height capacity							
	telescopic, truck-mounted, minimum 30 Ft. Height capacity							
	telescopic, truck-mounted, minimum 70 Ft. Height capacity							
	telescopic, truck-mounted, minimum 90 Ft. Height capacity							
31	Crane, Truck, Carrier Mounted,							
	88 to 11,023 lb lift rating							
32	Forklifts							
	Enclosed cab w/ climate control indoor/outdoor 4,800 lbs 12 Ft. Height capacity							
32.2	Enclosed cab w/climate control rough terrain, up to 5,000 lbs lift rating							
32.3	Enclosed cab w/ climate control rough terrain, 5,000 to 6,000 lbs lift rating							
33	Material Conveyor, Portable							
34	Scissor Lift 40 to 45 Ft. Height Rating							
35	Telehandler 10,000 lbs Rating							
36	Generators							
	20kw capacity - tow-behind							
	30kw capacity - tow-behind							
	40kw capacity - tow-behind							
	50kw capacity - tow-behind							
	60kw capacity - tow-behind 90kw capacity - tow-behind							
	120kw capacity - tow-behind							
36.7 <b>37</b>	Reciprocating Air Compressor, Trailer-mounted, 175 CFM capacity							
38	Rotary Screw Air Compressor, Trailer-mounted, 175 CFM capacity							
39	Broom, Tractor, Front or rear-mounted							
33	Bucket "Thumb"							
40	Excavator, Hydraulic, Truck Mounted 1.0 cu yd							
	Boom Tip Swivel							
	Bucket "Thumb"							
	Stump Shear							
41	Excavator, Wheeled or Truck mounted, 1.0 cu yd							
41.1	Boom Tip Swivel							
	Bucket "Thumb"							
	Stump Shear							

	1		Load for			
Daily Rental	Weekly Rental	Monthly Rental	Transport	Mileage	Operator	Operator
	, , , , , , , , , , , , , , , , , , , ,	, , , , , , , , , , , , , , , , , , , ,				- P
	without operator	without operator		Charge	labor per hour	labor per hour
95	150	300	200			
120 200	250 450	450 900	200 250			
100	200	395	250			
		230	_50			
350	950	2.150	300			
650	850 1,650	2,150 4,000	400			
	1,030	4,000	400			
450	950	2,300	300			
425	925	2,100	350			
200	425	850	200			
400 595	800 1,500	1,600 3,500	300 350			
333	1,500	3,300	330			
290	625	1,450	200			
320	675	1,575	250			
320	675	1,575	250			
375	825	1,850	300			
375	825	1,850	300			
660 755	1,610 1,830	3,815 4,425	400 400			
170	350	750	200			
325	725	1,600	250			

		1			Load for	1	l				ı		Load for
	Exhibit A	Daily Rental	Wookly Pontal	Monthly Rental	Transport	Mileage	Operator	Operator		Daily Rental	Weekly Rental	Monthly Rental	Transport
	EXHIBIT A	Daily Kelitai	weekly Kelital	Wionthly Kental	Transport	ivilleage	Operator	Operator	-	Daily Kelitai	Weekly Kelitai	Widiting Kentai	Transport
1			without operator	without operator		Charge	labor per hour	labor per hour			without operator	without operator	
42	Excavator, Wheeled or Truck mounted		Without operator	without operator		Charge	labor per nour	labor per nour			without operator	without operator	
	operating weight 15,432 to 24,250 lbs												
	Boom Tip Swivel												
	Bucket "Thumb"												
	Stump Shear												
	operating weight 28,660 to 33,068 lbs												
	Boom Tip Swivel												
	Bucket "Thumb"												
	Stump Shear												
	operating weight 33,069 to 37,477 lbs												
	Boom Tip Swivel												
	Bucket "Thumb"												
	Stump Shear												
	operating weight 37,478 to 39,682									1,800	4.000	9,000	990
	Boom Tip Swivel									incl	,	,,,,,,	
	Bucket "Thumb"									incl			
	Stump Shear												
43	Mini-Excavator												
	operating weight 2,204 to 3,305 lbs									295	625	1,350	250
	Rubber tracks									incl		,	
43.3	Boom Tip Swivel												
43.4	operating weight 5,511 to 6,612 lbs									350	750	1,575	250
	Rubber tracks									incl		, , , , ,	
	Boom Tip Swivel												
	Bucket "Thumb"									incl			
43.8	operating weight 7,716 to 8,817									375	795	1,700	300
	Rubber tracks									incl		,	
	Boom Tip Swivel												
	Bucket "Thumb"									incl			
	Notes:												
	(1) - Bid wil be awarded by item, by category or to the vendor with the lowest												
	overall cost, or a combination therof.												
	and the second s	1				İ							
	(2)- Labor under this bid is subject to prevailing wage (as per NY State labor law, a	rticle 8											
	and therefore the winning vendor/s will be required to submit copies of the certifi												
	payrolls with the invoices. For more info, see PRC # 2020002873					İ		İ					
		1				İ							
	(3)- For items that also appear on the tree bid (TNH015-2016), such												
1	6- backhoe, 17- brush chipper, 23- sweepers, 25-grinder, 26- fuel truck												
	47- excavator	1				İ							
1	the tree bid should be used first if possible.												

Mileage

Charge

Operator

labor per hour

Operator

labor per hour